

# Bibliografía

- Aguirre, J., D. A. Machado, A. Moncada y M. L. Olivero (2006). “Los mejores modelos de transporte de sedimentos”. En: Memorias del XXII Congreso Latinoamericano de Hidráulica. Ciudad Guyana, Venezuela.
- Alatorre, L. C., S. Beguería y J . M. García.Ruiz (2010). “Regional scale modeling of hillslope sediment delivery: A case study in the Barasona Reservoir watershed (Spain) using WATEM/SEDEM”. En: *Journal of Hydrology* 391.(1-2), págs. 109-123.
- Avendaño Salas, C., M. E. Sanz Montero, R. Cobo Rayán y J. L. Gómez Montaña (1997). “Sediment yield at Spanish reservoirs and its relationship with the drainage basin area”. En: Proceedings of the 19th Symposium of Large Dams. Florence, Italy, 863–874.
- Baade, J., S. Franz y A. Reichel (2012). “Reservoir siltation and sediment yield in the Kruger National Park, South Africa: a first assessment”. En: *Land degradation and development* 23.6, 586–600.
- Bussi, G. (2014). “Implementation of a distributed sediment model in different data availability scenarios”. Tesis doct. Universidad Politécnica de Valencia.
- Cerdà, A., R. Brazier, M. Nearing y J. de Vente (2013). “Scales and erosion”. En: *Catena* 102, 1–2.
- Chow, V. T., R. Maidment D. y L. D. Mays (1988). *Applied Hydrology*. New York: McGraw-Hill.
- CORANTIOQUIA (2005). *Plan de ordenación y manejo de las cuencas de los ríos Grande y Chico*. Inf. téc. Corporación Autónoma Regional del Centro de Antioquia - CORANTIOQUIA.
- de Roo, A.P.J., C.G. Wesseling y C.J. Ritsema (1996). “LISEM: a single event physically-based hydrologic and soil erosion model for drainage basins. I: Theory, input and output”. En: *Hydrological Processes* 10, 1107–1117.

- de Vente, J., J. Poesen y G. Verstraeten (2005). "The application of semi-quantitative methods and reservoir sedimentation rates for the prediction of basin sediment yield in Spain". En: *Journal of Hydrology* 305.(1-4), 63–86.
- de Vente, J., J. Poesen, G. Verstraeten, A. Van Rompaey y G. Govers (2008). "Spatially distributed modelling of soil erosion and sediment yield at regional scales in Spain". En: *Global and Planetary Change* 60.3-4, 393–415.
- Ewen, John, Geoff Parkin y Patrick Enda O'Connell (2000). "SHETRAN: Distributed River Basin Flow and Transport Modeling System". En: *Journal of Hydrologic Engineering* 5.3, págs. 250-258.
- Favis-Mortlock, D., J. Boardman, A. Parson y B. Lascelles (2000). "Emergence and erosion: a model for rill initiation and development." En: *Hydrological Processes* 14, págs. 2173-2205.
- Follett, R. y B. Stewart (1985). *Soil Erosion and Crop Productivity*. Madison, WI.: American Society of Agronomy.
- Frances, F., I. Vélez J. y J.: Vélez J. (2007). "Split-parameter structure for the automatic calibration of distributed hydrological models". En: *Journal of Hydrology*, págs. 226-240.
- Hagen, L. y G. Foster (1990). "Soil erosion prediction technology". En: *Proceedings of Soil Erosion and Productivity Workshop*, págs. 117-135.
- Haregeweyn, N., J. Poesen, G. Verstraeten, G. Govers, J. de Vente, J. Nyssen, J. Deckers y J. Moeyersons (2013). "Assessing the performance of a spatially distributed soil erosion and sediment delivery model (WATEM/SEDEM) in northern Ethiopia". En: *Land Degradation and Development* 24.(2), págs. 188-204.
- IGAC (2007). *Estudio General de Suelos y Zonificación de Tierras - Departamento de Antioquia*. Inf. téc. Instituto Geográfico Agustín Codazzi - IGAC.
- INGEOMINAS (1999). *Mapa Geológico de la Plancha I-8 Medellín*. Inf. téc. Instituto Colombiano de Geología y Minera - INGEOMINAS.
- INTEGRAL (1995). *Desarrollo Hidroeléctrico del Río Grande. Embalse del Río Grande. Estudio de Sedimentos*. Inf. téc. INTEGRAL LTDA.
- Jain, M.K. y U.C. Kothiyari (2000). "Estimation of soil erosion and sediment yield using GIS". En: *Hydrological Sciences Journal* 45, págs. 771-786.

- Johnson, Billy E. Julien P. Y.: (2000). “The Two-Dimensional Upland Erosion Model CASC2D-SED”. En: *Journal of the American Water Resources Association* 36.1, págs. 31-42.
- Julien, P. Y. y D. B. Simons (1985). “Sediment transport capacity of overland flow”. En: *Transactions of American Society of Agricultural Engineering* 28, págs. 755-762.
- Julien, P.Y. (1995). *Erosion and Sedimentation*. Cambridge University Press.
- Kilinc, M. y E. V. Richardson (1973). “Mechanics of soil erosion from overland flow generated by simulated rainfall”. En: *Hydrology Papers* 63.
- Kirkby, M. J., B. J. Irvine, R. J. A. Jones y G. Govers (2008). “The PESERA coarse scale erosion model for Europe. I.–Model rationale and implementation”. En: *European Journal of Soil Science* 59.6, 1293–1306.
- Knisel, W (1980). “CREAMS: A field Scale Model for Chemicals, Runoff, and Erosion from Agricultural Management Systems”. En: *USDA Conservation Report* 26.
- Leonard, R., W. Knisel y D. Still (1987). “GLEAMS: Groundwater Loading Effects of Agricultural Management Systems”. En: *Transactions of the American Society of Agricultural Engineers* 30, págs. 1403-1418.
- Leopold, L., M. Wolman y J. Miller (1964). *Fluvial Processes in Geomorphology*. San Francisco: W. H. Freeman y Company.
- Leopold, L.B. y T. Maddock (1953). “The Hydraulic Geometry of Stream Channels and Some Physiographic Implications”. En: *Geological Survey Professional Paper* 252.
- Molnar, P. (2011). *Calibration. Watershed Modelling*. Inf. téc. ETH Zürich. Switzerland: Institute of Environmental Engineering Chair of Hydrology y Water Resources Management.
- Montoya, J. J.: (2008). “Desarrollo de un Modelo Conceptual de Producción, Transporte y Depósito de Sedimentos.” Tesis doct. Universidad Politecnica de Valencia.
- Morgan, R. (2001). “A simple approach to soil loss prediction: a revised Morgan-Morgan-Finney model”. En: *Catena* 44, págs. 305-322.

- Nearing, M. A., G. R. Foster, L. J. Lane y S. C. Finker (1989). “A process-based soil erosion model for USDA – water erosion predictiton project technology”. En: *Trans. ASAE* 32, págs. 1587-1593.
- Neitsch, S. L., J. G. Arnold, J. R. Kiniry, J. R. Williams y K. W. King (2002). *Soil and Water Assessment Tool, Theoretical Documentation, Version 2000*. Inf. téc. Texas Water Resources Institute.
- Ogawa, S., Genya S, Nobuyuki M, Uchida S., Nasir M. K. y Muhammad S. (1997). “Estimation of Soil Erosion using USLE and Landsat TM in Pakistan”. En: *National Institute of Agro-enviornment Science Diane*, 613–626.
- Parsons, A. J., A. D. Abrahams y J. Wainwright (1994). “On determining resistance to interrill overland flow”. En: *Water Resources Research* 30.12, 3515–3521.
- PSIAC (1968). *Factors Affecting Sediment Yield in the Pacific Southwest Area*. Inf. téc. Pacific Southwest Inter-Agency Committee.
- Racicot, D. y J. Albergel (2006). “Runoff and water erosion modelling using WEPP on a Mediterranean cultivated catchment”. En: *Physics and Chemistry of the Earth Parts A/B/C* 31.17, págs. 1038-1047.
- Renard, K., G. Foster, G. Weesies y J. Porter (1989). “RUSLE - The Revised Universal Soil Loss Equation”. En: *Soil and Water Conservation Society*.
- Rojas, R. (2002). “GIS-Based Upland Erosion Modelling, Geovisualization and Grid Size Effects on Erosion Simulations with CASC2D-SED”. Tesis doct. Fort Collins, Colorado.: Department of Civil Engineering.
- Sanders, L (1998). *A manual of Field Hydrogeology.* , 381 pp. Pág. 331.
- Saxton, K E y W J Rawls (2006). “Soil Water Characteristic Estimates by Texture and Organic Matter for Hydrologic Solutions”. En: *Soil Science Society of America Journal* 70, págs. 1569-1578.
- Schmidt, J. y F. Mauersberger (2004). “Sensitivity analysis of wind effects on soil erosion by water using the EROSION2D model”. En: *Sino German Workshop on Effect of Landuse and Management System on Soil and Environment*.
- Shen, H W y C S Hung (1983). “Remodified Einstein Procedure for Sediment Load”. En: *Journal of Hydraulic Engineering ASCE* 109.4, págs. 565-578.

- Smith, S. M. C., P. Belmont y P. R. Wilcock (2011). *Closing the gap between watershed modelling, sediment budgeting, and stream restoration*. Ed. por A. Simon, S. Bennett y J. Castro. Washington, D. C., págs. 293-317.
- Srinivasan, R., T. S. Ramanarayanan, J. G. Arnold y S. T. Bednarz (1998). “Large area hydrologic modeling and assessment part II: model application”. En: *Journal of the American Water Resources Association* 34.1, 91–101.
- Strand, R I (1975). *Present and Prospective Technology for Predicting Sediment Yields and Sources*. Inf. téc. U.S. Department of Agriculture, págs. 10-15.
- Toffaleti, F B (1969). “Definitive Computation of Land Discharge in Rivers”. En: *Journal of the Hydraulics Division, ASCE* 95, págs. 225-248.
- U.S. Bureau of Reclamation (1955). *Step Method for Computing total Sediment Load by Modified Einstein Procedure*. Inf. téc., págs. 10-15.
- (1977). *Design of Small Dams*. Inf. téc.
- Van Oost, K. y G. Govers (2000). “Evaluating the effects of changes in landscape structure on soil erosion by water and tillage”. En: *Landscape Ecology* 15, págs. 579-591.
- Van Rompaey, A, G. Verstraeten, K. Van Oost, G. Go vers y J. Poesen (2001). “Modelling mean annual sediment yield using a distributed approach”. En: *Earth Surface Processes and Landforms* 26.11, 1221–1236.
- Velásquez, N. (2011). “Simulación de Sedimentos a partir de un Modelo Conceptual y Distribuido No Lineal”. Tesis de mtría. Universidad Nacional de Colombia.
- Verstraeten, G., J. Poesen, J. de Vente y X. Kon inckx (2003). “Sediment yield variability in Spain: a quantitative and semiqualitative analysis using reservoir sedimentation rates”. En: *Geomorphology* 50.4, 327–348.
- Vélez, J. I. (2001). “Desarrollo de un Modelo Hidrológico Conceptual y Distribuido Orientado a la Simulación de Crecidas”. Tesis doct. Universidad Politécnica de Valencia.
- Wang, G., H. Jiang, Z. Xu, L. Wang y W. Yue (2012). “Evaluating the effect of land use changes on soil erosion and sediment yield using a grid-based distributed modelling approach”. En: *Hydrological Processes* 26.23, págs. 3579-3592.

- Williams, J. R. (1975). "Sediment yield prediction with Universal Equation using runoff energy factor." En: *Present and Prospective Technology for Predicting Sediment Yields and Sources*.
- Williams, J.R. (1995). "Chapter 25: The EPIC model". En: *Computer models of watershed hydrology*. Ed. por V.P. Singh, págs. 909-1000.
- Williams, J.R., K.G. Renard y P.T. Dyke (1984). "A new method for assessing erosion's effect on soil productivity". En: *Journal of Soil Water Conservancy* 38, págs. 381-383.
- Wischmeier, W. y D. Smith (1978). *Predicting rainfall erosion losses: a guide to conservation planning*. Inf. téc. Agricultural Research Service.
- Woolhiser, D., R. Smith y D.. Goodrich (1990). *KINEROS: A Kinematic Runoff and Erosion Model. Documentation and User Manual*. Inf. téc. Washington, D.C.: Department of Agriculture, Agricultural Research Service.
- Yang, M., Xiuzhen L., Yuanman H. y Xingyuan H. (2012). "Assessing effects of landscape pattern on sediment yield using sediment delivery distributed model and a landscape indicator". En: *Ecological Indicators* 22, págs. 38-52.

